

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: HAI Five 2T Premium**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Sector of Use**

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

· **Product category PC13 Fuels**

· **Application of the substance / the mixture Fuel.**

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

HAI Fuels GmbH

Passower Chaussee 111

D - 16303 Schwedt/Oder

Tel. +49(0)3332-83 767 00

Email: labor@hai-fuels.de

· **Informing department:** Quality Management Tel.: +49(0)3332-83 767 40

· **1.4 Emergency telephone number:**

Emergency control center for poisoning cases Berlin +49 (0) 30 30 686 790 (German and English)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 1

H224 Extremely flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1

H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 1)

#### · Hazard pictograms



GHS02 GHS07 GHS08 GHS09

#### · Signal word *Danger*

#### · Hazard-determining components of labelling:

Naphtha (petroleum), full-range alkylate  
isopentane

2,2,4,6,6-pentamethylheptane

#### · Hazard statements

H224 Extremely flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 64741-64-6 EINECS: 265-066-7	Naphtha (petroleum), full-range alkylate ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	50-100%
CAS: 78-78-4 EINECS: 201-142-8	isopentane ⚠ Flam. Liq. 1, H224; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ STOT SE 3, H336	10-<20%
CAS: 13475-82-6 EINECS: 236-757-0	2,2,4,6,6-pentamethylheptane ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; Aquatic Chronic 4, H413	1-<5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 2)

#### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**  
Do not induce vomiting in order to prevent an invasion into the lungs.  
Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Breathing difficulty  
Daze.  
Unconsciousness  
Dizziness  
Headache
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources  
Remove persons from danger area.  
Wear protective equipment. Keep unprotected persons away.
- **For non-emergency personnel**  
Remove persons from danger area.  
Wear protective equipment. Keep unprotected persons away.
- **For emergency responders**  
Mount respiratory protective device.  
Wear protective clothing.
- **6.2 Environmental precautions:**  
Inform respective authorities in case product reaches water or sewage system.  
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

See Section 13 for information on disposal.

(Contd. of page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle container with care.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Store in a well-ventilated place.  
Store in cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Protect from heat / overheating.  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.  
Protect from heat and direct sunlight.
- **Storage class 3**
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 78-78-4 isopentane

WEL Long-term value: 1800 mg/m<sup>3</sup>, 600 ppm

- **Regulatory information** WEL: EH40/2018

- **DNELs**

#### 64741-64-6 Naphtha (petroleum), full-range alkylate

Inhalative	Worker - Long term - Local effects	840 mg/m <sup>3</sup>
	Consumer - Long term - Local effects	180 mg/m <sup>3</sup>
	Worker - Acute - Local effects	1,100 mg/m <sup>3</sup>
	Worker - Acute - Systemic effects	1,300 mg/m <sup>3</sup>
	Consumer - Acute - Local effects	640 mg/m <sup>3</sup>
	Consumer - Acute - Systemic effects	1,200 mg/m <sup>3</sup>

#### 78-78-4 isopentane

Oral	Consumer - Long term - Systemic effects	214 mg/kg bw
Dermal	Worker - Long term - Systemic effects	432 mg/kg bw/day
	General population - long term - systemic effects	214 mg/kg bw/day
Inhalative	Worker - Long term - Systemic effects	3,000 mg/m <sup>3</sup>
	Consumer - Long term - Systemic effects	643 mg/m <sup>3</sup>
	Worker - Acute - Local effects	214 mg/m <sup>3</sup>

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 4)

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and food.  
 Take off immediately all contaminated clothing  
 Wash hands during breaks and at the end of the work.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes and skin.
- **Breathing equipment:**  
 In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.  
 Filter A.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
 Fluorocarbon rubber (Viton)  
 Nitrile rubber, NBR
- **Penetration time of glove material**  
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Fluid
Colour:	Red
Odour:	Characteristic

· pH-value: Not determined.

#### · Change in condition

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	25-200 °C (EN ISO 3405)

· Flash point: <0 °C

· Ignition temperature: >400 °C

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible.

#### · Critical values for explosion:

Lower:	1.3 Vol %
--------	-----------

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 5)

<b>Upper:</b>	7.6 Vol %
· <b>Vapour pressure at 20 °C:</b>	550-650 hPa
· <b>Density at 20 °C</b>	0.68-0.72 g/cm <sup>3</sup>
· <b>Vapour density at 20 °C</b>	>3 g/cm <sup>3</sup>
· <b>Evaporation rate at 20 °C</b>	>1000 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix
· <b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic at 20 °C:</b>	<1 mm <sup>2</sup> /s
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	>22.7 %
<b>Solids content:</b>	0.0 %
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

##### 64741-64-6 Naphtha (petroleum), full-range alkylate

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	>5 mg/l (Rat)

##### 78-78-4 isopentane

Oral	LD50	>2,000 mg/kg (Rat) (OECD TG 401)
Inhalative	LC50/4 h	>25.3 mg/l (Rat) (OECD TG 403)

##### 71-43-2 benzene

Oral	LD50	4,894 mg/kg (Rat)
Dermal	LD50	48 mg/kg (Mouse)
Inhalative	LC50/4 h	9,980 ppm (Mouse)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 7)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 6)

- **Additional toxicological information:**  
Smallest amounts which can get into the lungs by means of swallowing or subsequent vomiting can cause a pulmonary oedema or pneumonia.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

##### **64741-64-6 Naphtha (petroleum), full-range alkylate**

EC50 (72 h)	>3.1 mg/l (Selenastrum capricornutum) (OECD TG 201)
EC50 (48 h)	>4.5 mg/l (Daphnia magna) (OECD TG 202)
LC50 (96 h)	>8.2 mg/l (Pimephales promelas) (OECD TG 203)
NOEC (21 d)	>2.6 mg/l (Daphnia magna) (OECD TG 211)

##### **78-78-4 isopentane**

EC50 (48 h)	2.3 mg/l (Daphnia magna)
LC50 (96 h)	3.1 mg/l (Reg)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.  
Do not allow product to reach ground water, water bodies or sewage system.  
Danger to drinking water if even small quantities leak into soil.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
The waste code numbers mentioned are recommendations based on the probable use of the product.

##### · European waste catalogue

13 07 02*	petrol
-----------	--------

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0




Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>ADR/RID/ADN, IMDG, IATA</b></li> </ul>	UN1203
<ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR/RID/ADN</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	1203 PETROL PETROL, MARINE POLLUTANT PETROL
<ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR/RID/ADN, IMDG</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	3 Flammable liquids. 3
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">  </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	3 Flammable liquids. 3
<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR/RID/ADN, IMDG, IATA</b></li> </ul>	II
<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR/RID/ADN):</b></li> </ul>	Product contains environmentally hazardous substances: Naphtha (petroleum), full-range alkylate Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Kemler Number:</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>	Warning: Flammable liquids. 33 F-E,S-E E
<ul style="list-style-type: none"> <li>· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	<hr style="border-top: 1px dashed black;"/> <ul style="list-style-type: none"> <li>· <b>ADR/RID/ADN</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>
<ul style="list-style-type: none"> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 D/E

(Contd. on page 9)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

Trade name: HAI Five 2T Premium

(Contd. of page 8)

<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<p>1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml</p>
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	<p>UN 1203 PETROL, 3, II</p>

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**  
P5a FLAMMABLE LIQUIDS  
E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 10 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H224 Extremely flammable liquid and vapour.  
H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.
- **Department issuing data specification sheet:**  
The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungs- und Prüfgesellschaft mbH, Phone: +49 5066 900990.
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 1: Flammable liquids – Category 1  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 11.03.2019

Version number 1.0

Revision: 11.03.2019

**Trade name: HAI Five 2T Premium**

(Contd. of page 9)

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*Asp. Tox. 1: Aspiration hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

*Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4*

GB